Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	365/230.02,230.03,230.06,230.01,52,63,51,185.11.ccls. and (memory with array with block) same (three with row$1) same(three with column) and (control with circuit) and (control with signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 17:27
L2	49	365/230.02,230.03,230.06,230.01,52,63,51,185.11.ccls. and (memory with array with block) same bit$1 same (two and four and eight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 17:28
L3	26	365/230.02,230.03,230.06,230.01,52,63,51,185.11.ccls. and (memory with array with block) same ((two and four and eight) with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 17:34

L4	85	("20010004326" | "3633175" | "4051460" | "4250570" | "4281398" | "4287570" | "4398248" | "4450559" | "4498146" | "4525839" | "4616311" | "4654847" | "4746998" | "4748320" | "4757474" | "4774700" | "4780855" | "4800520" | "4829169" | "4896262" | "4914529" | "4945535" | "5172338" | "5200959" | "5218691" | "5270979" | "5303198" | "5315541" | "5337275" | "5341339" | "5353256" | "5357475" | "5388083" | "5404485" | "5428621" | "5430859" | "5457658" | "5471478" | "5479638" | "5485595" | "5524230" | "5532962" | "5535328" | "5544356" | "5559956" | "5566314" | "5602987" | "5603001" | "5652720" | "5663901" | "5673383" | "5677872" | "5712179" | "5712180" | "5787484" | "5798968" | "5835413" | "5835935" | "5838614" | "5862080" | "5890192" | "5907856" | "5909449" | "5928370" | "5930167" | "5930815" | "5953737" | "5963970" | "5999446" | "6014755" | "6034897" | "6040997" | "6041001" | "6076137" | "6081878" | "6115785" | "6122195" | "6125435" | "6130836" | "6141249" | "6151247" | "6202138" | "6223308" | "6345001" | "6426893").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/09 17:34
L5	2	365/230.02,230.03,230.06,230. 01,52,63,51,185.11.ccls. and (memory with array with block) same ((two near2 memory) with (four near2 bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 17:35
L6	9	("4783766" | "4982372" | "5003510" | "5065364" | "5083294" | "5097450" | "5109361" | "5126808" | "5148401").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/09 17:37

L7	1	("5210597").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/09 17:37
S1	30	"365"/$.ccls. and (memory with array$1) and (three adj row$1) and (three adj column$1) and (control with circuit) and (input and output) and (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 15:21
S2	83	("3740723" | "3758761" | "3771145" | "3821715" | "3882470" | "3895360" | "3924241" | "3956737" | "3962689" | "3969706" | "3972028" | "3975714" | "3983537" | "4007452" | "4038648" | "4099231" | "4120048" | "4152781" | "4191996" | "4205373" | "4225947" | "4247817" | "4249247" | "4286321" | "4306298" | "4315308" | "4321695" | "4333142" | "4355376" | "4373183" | "4375084" | "4385350" | "4388696" | "4415994" | "4435792" | "4443864" | "4449207" | "4468738" | "4470114" | "4481625" | "4488218" | "4493060" | "4500905" | "4509142" | "4519034" | "4549283" | "4558377" | "4567579" | "4581721" | "4595923" | "4608669" | "4608678" | "4618947" | "4630193" | "4633441" | "4646270" | "4649511" | "4649516" | "4654655" | "4664502" | "4667313" | "4685089" | "4706166" | "4719627" | "4745548" | "4764846" | "4770640" | "4779089" | "4785394" | "4789960" | "4796224" | "4811202" | "4818985" | "4833651" | "4837682" | "4860198" | "4899316" | "4933835" | "4975763" | "4999814" | "5023488" | "5179670" | "5319755").PN.	USPAT	OR	OFF	2004/10/31 15:03
S3	2	("5065364" | "5095461").PN.	USPAT	OR	OFF	2004/10/31 15:13

S6	2	memory same (three adj row$1) same (three adj column$1) same (control with circuit) same (input and output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 15:23
S7	8	("5640362" | "5642323" | "5657265" | "5666322" | "5812490" | "5894448" | "5943285" | "6037813").PN.	USPAT	OR	OFF	2004/10/31 15:25
S8	282	365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and (control$3 with signal$1) and ((MDL or (data adj line$1)) or (multiple$1 with nine with bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:11
S9	656	365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:39
S10	373	365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:40
S11	106	(365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:36
S12	1	(((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))) and sa same activat$4 same arrays	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:42
S13	81	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1)) and activat$3 and bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:02

S14	31	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with bit$1)) and activat$3 and block$1 and segment$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:50
S15	282	365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and (control$3 with signal$1) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:13
S16	53	(365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and (control$3 with signal$1) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))) and (array$1 with block$1 and segment$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:14
S17	321	"53" and (multiples near3 bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:15
S18	53	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and (control$3 with signal$1) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))) and (array$1 with block$1 and segment$1)) and bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:15
S19	44	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and (control$3 with signal$1) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))) and (array$1 with block$1 and segment$1)) and (number with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:16
S20	977	array$1 same block$1 same segment$1 and ((control$4 with signal) or (SA and WD)) and bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:54

S21	113	365/230.03,63,51,185.11.ccls. and array$1 same block$1 same segment$1 and ((control$4 with signal) or (SA and WD)) and bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:56
S22	58	365/230.03,63,51,185.11.ccls. and array$1 with block$1 with segment$1 and ((control$4 with signal) or (SA and WD)) and bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:56
S23	83	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:06
S24	31	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (control$4 with signal) same (((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:07
S25	81	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and . (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1)) and activat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:32
S26	3	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1)) and activat$3 and (three with column) and (three with row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:24
S27	579	365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and row and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:30

S28	490	(365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and row and column) and ((control$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:33
S29	227	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and row and column) and ((control$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj line$1)) and bit$1 and activat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:35
S30	3	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1) and row and column) and ((control$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj line$1)) and bit$1 and activat$3 and (quantity with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:35
S31	20	(365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:40
S32	3	365/230.03,63,51,185.11.ccls. and (array$1 or simiconductor) with ("input/output" with configuration) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:43
S33	37	365/230.03,63,51,185.11.ccls. and (array$1 with block$1) and segment$1 and (control$4 or (SA and WD)) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:49
S34	10	365/230.03,63,51,185.11.ccls. and (array$1 with block$1) with segment$1 and (control$4 or (SA and WD)) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:53
S35	21	"365"/$.ccls. and (array$1 with block$1) with segment$1 and (control$4 or (SA and WD)) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:55

S36	2	array$1 and block$1 and segment$1 and (SA and WD) and (nine with bit$1) and input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:00
S37	1	array$1 same block$1 same segment$1 and (SA and WD) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:02
S38	15	array$1 and block$1 and (segment$1 or section) and (SA and WD) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:05
S39	653	array$1 and block$1 and (segment$1 or section) and (SA or (sense with amplifier$1)) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:05
S40	56	array$1 same block$1 same (segment$1 or section) and ((SA and WD) or ((sense with amplifier$1) and (write with driver))) and (nine with bit$1) and (MDL or (data with line$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:07
S41	40	"365"/$.ccls. and array$1 same block$1 same (segment$1 or section) and ((SA and WD) or ((sense with amplifier$1) and (write with driver))) and (nine with bit$1) and (MDL or (data with line$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:36
S42	19	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1)) and activat$3 and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:35
S43	81	((365/230.03,63,51,185.11.ccls. and (array$1 with even) and (array$1 with block$1)) and (365/230.03,63,51,185.11.ccls. and control$4 and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line$1) or (multiple$1 with nine with bit$1)) and activat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:36

S44	40	"365"/$.ccls. and array$1 same block$1 same (segment$1 or section) and ((SA and WD) or ((sense with amplifier$1) and (write with driver))) and (nine with bit$1) and (MDL or (data with line$1)) AND input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:37
S45	21	365/230.03,63,51,185.11.ccls. and array$1 same block$1 same (segment$1 or section) and ((SA and WD) or ((sense with amplifier$1) and (write with driver))) and (nine with bit$1) and (MDL or (data with line$1)) and input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:39
S46	53388	(nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:04
S47	2176	(control with circuit) same (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:06
S48	1258	(control with circuit) same (input or output) same (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:07
S49	27	365/230.03,206,207,185.03,185.11.ccls. and (control with circuit) same (input and output) same ((nine or "9") near (bit$1 or column$1 or data$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:23
S50	103	"365"/$.ccls. and (control with circuit) same (input and output) same (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:37
S51	13	"365"/$.ccls. and (memory with array$1) same (memory with block$1) same (control with circuit) same (input and output) same (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:37

S52	30	"365"/$.ccls. and (memory with array$1) and (three adj row$1) and (three adj column$1) and (control with circuit) and (input and output) and (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:42
S53	2	365/230.03,206,207,185.03,185.11.ccls. and (memory with array$1) and (three adj row$1) and (three adj column$1) and (control with circuit) and (input and output) and (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 14:58
S54	2	(memory with array$1) same (three adj row$1) same (three adj column$1) and (control with circuit) and (input and output) and (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:49
S55	2	("5065364" | "5095461").PN.	USPAT	OR	OFF	2004/08/04 12:49
S56	78	kobayashi.in. and 365/230.03,63,51,185.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:50
S57	145	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:51
S58	8	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51.ccls. and (three with row$1) same (three with column$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:52
S59	47	365/230.03,63,51,185.11.ccls. and array$1 and block$1 and segment$1 and (control$4 or (SA and WD)) and (nine with bit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 13:17
S60	55	(memory with array$1) and (three adj row$1) and (three adj column$1) and (control with circuit) and (input and output) and (nine or "9") near (bit$1 or column$1 or data$1 or value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 13:24

S61	3	"6,700,814".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 08:25
S62	2	"5,943285".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 08:44
S63	2	"5,914907".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 08:45
S64	3	("5642323" | "5793686" | "5812490").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/30 08:50
S65	2891	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and memory with array$1 with block$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:17
S66	2342	S65 and (control$4 with circuit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:14
S67	2161	S66 and (control$4 with signal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:14
S68	50	S67 and (nine with memory with array$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:15
S69	46	S68 and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:16
S70	1928	S67 and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:16

S71	127	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and memory with array$1 with block$1 same (control$4 with circuit) same (control$4 with signal$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:18
S72	127	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array$1 with block$1) same (control$4 with circuit) same (control$4 with signal$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:19
S73	113	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array$1 with block$1) same (control with circuit) same (control with signal$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:21
S74	102	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array$1 with block$1) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:21
S75	100	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array$1 with block$1) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:22
S76	68	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array with block) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:23
S77	1	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array with block) same (three with row$1) same (three with column) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:23
S78	66	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array with block) and (three with row$1) and (three with column) and (control with circuit) and (control with signal) and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:31

S79	3	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array with block) same (three with row$1) same(three with column) and (control with circuit) and (control with signal) and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:28
S80	3	("5642323" | "5793686" | "5812490").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 12:25
S81	3	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array with block) same (three with row$1) same(three with column) and (control with circuit) and (control with signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 17:25
S82	4	("4899308" | "5877780" | "5883814" | "6230235").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 12:38
S83	4	("4899308" | "5877780" | "5883814" | "6230235").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 12:39